


Crumbler PEDT



Our range of crumblers is designed to make crumbs from 0.2 to 4 mm with granulated product passing between 2 rollers.

The main feature of STOLZ PEDT crumbler is the possible use of the distributor permanently in order to regulate the pellet flow before sifting.

Features:

- Ø250 mm rollers
- Space adjustment between cylinders with remote control
- Integrated system for product sampling
- Automatic spacing of cylinders when foreign bodies crossing
- Total spacing of rollers to provide a free passage of pellets



Crumbler PEDT

Features

The purpose of Stolz crumbler:

To crush pellets (usually a 4 mm diameter is easier to pellet than a 2.5 mm diameter) for poultry, game, fish, and piglets thus improving ingestion by small animals and digestion.

Our PEDT crumbler is also used to reduce the grain size of various dry products use in food or chemical industries.

Cylinder surface area geometry is adjusted to the products to be treated according to their nature and original size.





Crumbler
beneath cooler



Control cabinet for spacing
between rollers



Rollers
driven by notched belts



Type	Capacity	Power	Mass	Dimensions (mm)		
	t/h	(kW)	(kg)	A	B	C
PEDT 600	4 à 6	7,5	1100	1590	1460	1010
PEDT 1000	8 à 12	11	1400	1990	1460	1010
PEDT 1500	12 à 18	15	1850	2490	1460	1010
PEDT 1800	15 à 25	18,5	2200	2790	1460	1010